

Author Index

- Adam, G., see Cutler, H.G. 467
- Akkerman, O.S., see Gruter, G.-J.M. 425
- Albrecht-Gary, A.M.
–, Dietrich-Buchecker, C.O., Guilhem, J., Meyer, M., Pascard, C. and Sauvage, J.P.
Dicopper (I) trefoil knots: Demetallation kinetic studies and molecular structures 427
- Altona, C., see Quaedflieg, P.J.L.M. 15
- Amabilino, D.B.
– and Stoddart, J.F.
A new approach to controlling catenated structures 429
- Ansink, H.R.W.
–, Zelvelder, E. and Cerfontain, H.
Sulfonation of 1- and 2-naphthol and their methanesulfonate esters with sulfur trioxide. The influence of initial sulfation on the sulfo-product composition 210
- Ansink, H.R.W.
–, Zelvelder, E. and Cerfontain, H.
Sulfonation of a series of naphthalenes containing two different oxy substituents 216
- Arnouts, E.G., see Raaijmakers, H.W.C. 511
- Baart, A., see Mulder, P.P.J. 22
- Bakker, B.H., see Schonk, R.M. 201
- Bakker, B.H., see Schonk, R.M. 247
- Bakker, B.H., see Schonk, R.M. 457
- Banerjee, A.K.
– and Vera, W.
Novel rearrangement during dehydration. Construction of the guanolid skeleton 259
- Barf, T.
–, Jansen, J.F.G.A., van Bolhuis, F., Spek, A.L. and Feringa, B.L.
Self-assembling chiral metallo-clefts; synthesis and molecular structure of *N,N'*-bis(12*H*-benzo[*a*]xanthen-12-ylidene)-1,2-ethanediamine zinc(II)-dichloride complex 376
- Basten, J.E.M., see Spijker, N.M. 611
- Benckhuijsen, W., see de Goede, A.T.J.W. 567
- Berden, J.A., see Groesbeek, M. 237
- Berden, J.A., see Groesbeek, M. 303
- Bickelhaupt, F., see Gruter, G.-J.M. 425
- Bijma, K.
– and Engberts, J.B.F.N.
The effect of chemical structure upon the thermodynamics of micellization of model alkylarenesulphonates. Prediction of micellar properties with the Poisson–Boltzmann model 393
- Bocchi, V., see Casnati, A. 384
- Boere, B.B., see Mulder, P.P.J. 22
- Boere, B.B., see Mulder, P.P.J. 255
- Boere, B.B., see Mulder, P.P.J. 287
- Boersma, J., see Wissing, E. 618
- Bolscher, J.G.M., see van den Broek, L.A.G.M. 82
- Boons, G.J.P.H., see Smid, P. 451
- Born, J.G.P.
–, van der Wart, H.W.A., Mulder, P. and Louw, R.
Gas-phase oxychlorination of benzene 262
- Boryczka, S., see Maślankiewicz, A. 519
- Bradshaw, eds., J.S., see Izatt, R.M. 516
- Brodesser, G., see Vögtle, F. 325
- Broekkamp, C.L.E., see Hermkens, P.H.H. 95
- Brouwer, A.M., see Scherer, T. 535
- Broxterman, H.J.G., see Smid, P. 451
- Bruggink, A., see van der Haest, A.D. 230
- Cacciapaglia, R.
–, Mandolini, L. and van Axel Castelli, V.
Alkali-metal-ion-assisted $B_{AL}2$ cleavage of 2-(methoxycarbonyl)-1,3-xylene-18-crown-5 by benzenemethanethiolate anion 347
- Campillo, N., see de Mendoza, J. 367
- Casnati, A.
–, Comelli, E., Fabbi, M., Bocchi, V., Mori, G., Ugozzoli, F., Lanfredi, A.M.M., Pochini, A. and Ungaro, R.
Synthesis, conformations and redox properties of diametrical calix[4]arenequinones 384
- Cerfontain, H.
–, Koeberg-Telder, A. and Lerch, U.
Electrophilic substitution of two monohomoperylenes and perylene 584
- Cerfontain, H., see Ansink, H.R.W. 210
- Cerfontain, H., see Ansink, H.R.W. 216
- Cerfontain, H., see Schonk, R.M. 201
- Cerfontain, H., see Schonk, R.M. 247
- Cerfontain, H., see Schonk, R.M. 457
- Chao, I.
– and Diederich, F.
Catalytic cyclophanes VII. Esterase activity of a bisimidazolyl-cyclophane 335
- Chibante, L.P.F., see Heymann, D. 531
- Chibante, L.P.F., see Heymann, D. 639
- Chittenden, G.J.F., see Raaijmakers, H.W.C. 511
- Cleij, M.C.
–, Drenth, W. and Nolte, R.J.M.
Enantioselective cleavage of esters by histidine-containing tripeptides in micellar solutions of various hexadecyltrialkylammonium bromide surfactants 1
- Comelli, E., see Casnati, A. 384
- Copinga, S.
–, Dijkstra, D., de Vries, J.B., Grol, C.J. and Horn, A.S.
Synthesis and pharmacological evaluation of 5,6,7,8-tetrahydro-6-[propyl[2-(2-thienyl)ethyl]amino]-1,2-naphthalenediol: a novel non-selective dopamine-receptor agonist 137
- Cornelisse, J., see Mulder, P.P.J. 22
- Cornelisse, J., see Mulder, P.P.J. 255
- Cornelisse, J., see Mulder, P.P.J. 287
- Cutler, H.G.
–, Yokota, G. and Adam, eds., G.
Brassinosteroids. Chemistry, Bioactivity, and Applications 467
- Dargan, P., see Versloot, P. 273
- de Boer, J.S.A.M.
– and Stam, C.H.
The influence of substituents on the geometry of the cyclopropane ring. VII The molecular and crystal structures of bicyclopopylidene ($C_3H_4=C_3H_4$) and (dicyclopopylmethylene)cyclopropane [$(C_3H_5)_2C=C_3H_4$]. 635
- de Boer, T., see Hermkens, P.H.H. 95
- de Boer, Th., see Wieringa, J. 143
- de Goede, A.T.J.W.
–, Benckhuijsen, W., van Rantwijk, F., Maat, L. and van Bekkum, H.
Selective lipase-catalyzed 6-*O*-acylation of alkyl α -D-glucopyranosides using functionalized ethyl esters 567
- de Goede, R.E.Y., see van den Broek, L.A.G.M. 82
- de Groot, Ae., see Kesselmans, R.P.W. 226
- de Haas, M.P., see Keegstra, E.M.D. 423
- de Jong, F., see van Straaten-Nijenhuis, W.F. 317
- de Meijere, A., see Schonk, R.M. 457
- de Mendoza, J.
–, Prados, P., Campillo, N., Nieto, P.M., Sánchez, C., Fayet, J.-P., Vertut, M.C., Jaime, C. and Elguero, J.
Dipole moments can be used to determine the conformation of calix[4]arenes 367
- den Blanken, A., see Wieringa, J. 143
- de Vries, E.F.J., see Groesbeek, M. 303
- de Vries, J.B., see Copinga, S. 137
- de Zoete, M.C.
–, van Rantwijk, F., Maat, L. and Sheldon, R.A.
Selective oxidation of penicillin G with hydrogen peroxide and with enzymatically generated peroxyoctanoic acid 462
- Diederich, F., see Chao, I. 335
- Dietrich-Buchecker, C.O., see Albrecht-Gary, A.M. 427
- Dijkstra, D., see Copinga, S. 137
- Dijkstra, G.D.H.

- Conformational analysis of 1-arylpiperazines and 4-arylpiperidines 151
- Douwes, M., see Verduyn, R. 464
- Drenth, W., see Cleij, M.C. 1
- Drenth, W., see Hansen, C.B. 497
- Drenth, W., see Huige, C.J.M. 33
- Driessen, W.L.
- , Gorter, S., Haanstra, W.G., Laarhoven, L.J.J., Reedijk, J., Goubitz, K. and Seljée, F.R.
 - Coordination properties of the didentate N,O ligand 1-(2-hydroxyethyl)-3,5-dimethylpyrazole (HL). Crystal structure of [Cu(HL)₂(NO₃)₂] and [Cu(L)Br]₂ 309
- Edema, J.J.H.
- , Hoogenraad, M., Schoonbeek, F.S., Kellogg, R.M., Kooijman, H. and Spek, A.L.
 - Alkylation of the S-C-S linkage. Towards lipophilic mono- and di-topic heavy-metal receptors containing trithiane building blocks. Molecular structure of *cis*-2,4,6-tribenzyl-1,3,5-trithiane 370
- Eijkelhoff, C., see Scherer, T. 535
- Elguero, J., see de Mendoza, J. 367
- Ellermann, L., see Hamm, P. 503
- Engbersen, J.F.J., see Verboom, W. 549
- Engbersen, J.F.J., see Weijnen, J.G.J. 351
- Engbersen, J.F.J., see Weijnen, J.G.J. 525
- Engberts, J.B.F.N., see Bijma, K. 393
- Erkelens, C., see Mulder, P.P.J. 287
- Eveleens, S.M., see Raaijmakers, H.W.C. 511
- Fabbi, M., see Casnati, A. 384
- Fayet, J.-P., see de Mendoza, J. 367
- Feringa, B.L., see Barf, T. 376
- Gorter, S., see Driessen, W.L. 309
- Gosling, P.A.
- , Sijbesma, R.P., Spek, A.L. and Nolte, R.J.M.
 - Synthesis and X-ray structure of a novel cavity-containing dinuclear nickel(II) complex 404
- Goubitz, K., see Driessen, W.L. 309
- Goubitz, K., see Versloot, P. 273
- Groen, M.B., see Groen-Piotrowska, E.M. 627
- Groen-Piotrowska, E.M.
- , and Groen, M.B.
 - Total synthesis of (+)-13-ethyl-3-methoxygona-1,3,5,9(11)-tetraen-17-one via the tandem Claisen-ene strategy 627
- Groesbeek, M.
- , de Vries, E.F.J., Berden, J.A. and Lugtenburg, J.
 - The influence of the 5-methyl group in bacteriorhodopsin 303
- Groesbeek, M.
- , van Galen, A.J.J., Ippel, J.H., Berden, J.A. and Lugtenburg, J.
 - Three bacteriorhodopsins with ring-didemethylated 6-s-locked chromophores and their properties 237
- Grol, C.J., see Copping, S. 137
- Gronowitz, ed., S.
- Thiophene and its Derivatives, part five 649
- Grootenhuis, P.D.J., see Koymans, L.M.H. 161
- Gruter, G.-J.M.
- , Akkerman, O.S., Bickelhaupt, F., Smeets, W.J.J. and Spek, A.L.
 - A remarkable halogen-zinc exchange reaction; X-ray crystal structure of (2-iodozincio-1,3-xylylene)-15-crown-4 425
- Guilhem, J., see Albrecht-Gary, A.M. 427
- Haanstra, W.G., see Driessen, W.L. 309
- Haasnoot, C.A.G., see Koymans, L.M.H. 161
- Haasnoot, J.G., see Versloot, P. 273
- Hamm, P.
- , Ellermann, L., Jauffret, P. and Kaufmann, G.
 - Perception and generalization of protective groups in the COSYMA system 503
- Hansen, C.B.
- , Mul, G., Tabor, R.B.J. and Drenth, W.
 - Mechanistic study of decomposition of cyclohexyl hydroperoxide catalysed by manganese(III) tetraarylporphyrins 497
- Harkema, S., see Verboom, W. 549
- Hayashida, O., see Murakami, Y. 421
- Heeres, G., see Wieringa, J. 143
- Hermant, R.M., see Scherer, T. 535
- Hermkens, P.H.H.
- , Ottenheijm, H.C.J., van der Werf-Pieters, J.M.L., Broekkamp, C.L.E., de Boer, T. and van Nispen, J.W.
 - CCK-A Agonists: endeavours involving structure-activity relationship studies 95
- Heskamp, B.M., see van den Broek, L.A.G.M. 82
- Hessel, V.
- , Ringsdorf, H., Laversanne, R. and Nallet, F.
 - α , ω -Dipolar amphiphiles: Influence of rigid and flexible units on aggregation behavior 339
- Heymann, D.
- , and Chibante, L.P.F.
 - Reaction of C₆₀ and C₇₀ with ozone at different temperatures 531
- Heymann, D.
- , and Chibante, L.P.F.
 - Reaction of C₆₀, C₇₀, C₇₆, C₇₈, and C₈₄ with ozone at 23.5°C 639
- Hezemans, A.M.F., see Huige, C.J.M. 33
- Hielkema, W., see Scherer, T. 535
- Hoogenraad, M., see Edema, J.J.H. 370
- Horn, A.S., see Copping, S. 137
- Huige, C.J.M.
- , Hezemans, A.M.F., Nolte, R.J.M. and Drenth, W.
 - Molecular-mechanics calculation on oligomers of *tert*-butyl isocyanide 33
- Hulsbergen, F.B.
- , and Reedijk, J.
 - Coordination compounds of tripeptides and pentapeptides containing L-histidyl residues. Studies towards structural models for the active site of copper proteins 278
- Ippel, J.H., see Groesbeek, M. 237
- Izatt, R.M.
- , and Bradshaw, eds., J.S.
 - The Pedersen Memorial Issue 516
- Jaime, C., see de Mendoza, J. 367
- Jansen, J.F.G.A., see Barf, T. 376
- Jauffret, P., see Hamm, P. 503
- Jenneskens, L.W., see Keegstra, E.M.D. 423
- Jones, F.N., see Wicks, Jr., Z.W. 565
- Katritzky, A.R.
- , Rachwal, B., Rachwal, S., Smith, T.P. and Macomber, D.W.
 - Preparation of dyes derived from Eriochrome Red B and Acid Alizarin Violet N soluble in organic solvents 552
- Kaufmann, G., see Hamm, P. 503
- Keegstra, E.M.D.
- , Schouten, P.G., Schouten, A., Kooijman, H., Spek, A.L., de Haas, M.P., Zwikker, J.W., Warman, J.M. and Jenneskens, L.W.
 - Rapid charge migration within 1,4-benzoquinone stacks in the solid phases of 2,5-di-*n*-decoxy-1,4-benzoquinone 423
- Kelderman, E., see Verboom, W. 549
- Kellogg, R.M., see Edema, J.J.H. 370
- Kerkhof, F., see Scherer, T. 535
- Kesselmans, R.P.W.
- , Wijnberg, J.B.P.A., Schrijvers, R., Sudhölter, E.J.R. and de Groot, Ae.
 - Conformational analysis of *cis*-fused eudesm-11-en-4-ols 226
- Kleijn, H., see Wissing, E. 618
- Klein Gebbink, R.J.M., see Martens, C.F. 400
- Koeberg-Telder, A., see Cerfontain, H. 584
- Kooijman, H., see Edema, J.J.H. 370
- Kooijman, H., see Keegstra, E.M.D. 423
- Koomen, G.J.
- Synthesis and biological properties of selected nucleoside analogues 51
- Koudijs, A., see Weijnen, J.G.J. 525
- Kovács, L.
- Methods for the synthesis of α -keto esters 471
- Koymans, L.M.H.
- , Grootenhuis, P.D.J. and Haasnoot, C.A.G.
 - Homology model-building studies of human thrombin: optimisation of modelling protocol and comparison with X-ray structure 161
- Krijnen, B., see Scherer, T. 535
- Kuyl-Yeheskiely, E., see Quaeflieg, P.J.L.M. 15
- Laarhoven, L.J.J., see Driessen, W.L. 309
- Lanfredi, A.M.M., see Casnati, A. 384
- Laversanne, R., see Hessel, V. 339
- Lembeck, I., see Schonk, R.M. 247
- Lerch, U., see Cerfontain, H. 584
- Leusen, F.J.J., see van der Haest, A.D. 230
- Leysen, D., see Wieringa, J. 143
- Lie, T.S., see Woudenberg, R.H. 557
- Louw, R., see Born, J.G.P. 262
- Lugtenburg, J., see Groesbeek, M. 237
- Lugtenburg, J., see Groesbeek, M. 303
- Lugtenburg, J., see Mulder, P.P.J. 22
- Lugtenburg, J., see Mulder, P.P.J. 255
- Lugtenburg, J., see Mulder, P.P.J. 287
- Maat, L., see de Goede, A.T.J.W. 567
- Maat, L., see de Zoete, M.C. 462
- Maat, L., see Meuzelaar, G.J. 573

- Maat, L.**, see **Woudenberg, R.H.** 557
Maat, L., see **Woudenberg, R.H.** 578
Macomber, D.W., see **Katritzky, A.R.** 552
Mandolini, L., see **Cacciapaglia, R.** 347
Martens, C.F.
 –, **Sijbesma, R.P.**, **Klein Gebbink, R.J.M.**, **Spek, A.L.** and **Nolte, R.J.M.**
 X-ray structure of a molecular basket. Origin of its poor binding properties 400
Maślankiewicz, A.
 – and **Boryczka, S.**
 4-Alkoxy-3'-(alkylthio)-3,4'-diquinolyl sulfides and 4-alkoxy-3-(alkylthio)quinolines 519
Matsuura, S., see **Murakami, Y.** 421
Meijer, C.W., see **Schonk, R.M.** 457
Menge, W.M.P.B., see **Vollinga, R.C.** 123
Meuzelaar, G.J.
 –, **Woudenberg, R.H.**, **Sinnema, A.** and **Maat, L.**
 Synthesis of neopine and its 5 β - and 7-substituted derivatives (chemistry of opium alkaloids, part XL) 573
Meuzelaar, G.J., see **Woudenberg, R.H.** 578
Meyer, M., see **Albrecht-Gary, A.M.** 427
Miedema, F., see **van den Broek, L.A.G.M.** 82
Mori, G., see **Casnati, A.** 384
Morzherin, Y., see **Verboom, W.** 549
Mul, G., see **Hansen, C.B.** 497
Mulder, P., see **Born, J.G.P.** 262
Mulder, P.P.J.
 –, **Boere, B.B.**, **Baart, A.**, **Cornelisse, J.** and **Lugtenburg, J.**
 Synthesis and spectroscopy of nine isomeric methylacephenanthrylenes 22
Mulder, P.P.J.
 –, **Boere, B.B.**, **Cornelisse, J.** and **Lugtenburg, J.**
 Synthesis of dicyclopenta-fused derivatives of phenanthrene 255
Mulder, P.P.J.
 –, **Olde Boerrigter, J.**, **Boere, B.B.**, **Zuillhof, H.**, **Erkelens, C.**, **Cornelisse, J.** and **Lugtenburg, J.**
 Synthesis and spectroscopy of nitroaceanthrylenes and nitroaceanthrenes 287
Murakami, Y.
 –, **Hayashida, O.** and **Matsuura, S.**
 Preparation and characterization of novel cage-type cyclophanes having a helically twisted and cylindrical internal cavity 421
Nagasaki, T.
 –, **Tajiri, Y.** and **Shinkai, S.**
 New water-soluble calixarenes modified with amino acids at the upper rim 407
Nallet, F., see **Hessel, V.** 339
Ng, A.K.F., see **Scherer, T.** 535
Nieger, M., see **Vögtle, F.** 325
Nieto, P.M., see **de Mendoza, J.** 367
Nolte, R.J.M., see **Cleij, M.C.** 1
Nolte, R.J.M., see **Gosling, P.A.** 404
Nolte, R.J.M., see **Huige, C.J.M.** 33
Nolte, R.J.M., see **Martens, C.F.** 400
Nolte, R.J.M., see **Sijbesma, R.P.** 643
Olde Boerrigter, J., see **Mulder, P.P.J.** 287
Ottenheijm, H.C.J., see **Hermkens, P.H.H.** 95
Pandit, U.K.
 Programmed antibodies as tailor-made catalysts 431
Pappas, S.P., see **Wicks, Jr., Z.W.** 565
Pascard, C., see **Albrecht-Gary, A.M.** 427
Peters, J.A., see **Venema, F.R.** 445
Pieters, R.J.
 – and **Rebek, Jr., J.**
 Convergent functional groups XIV. Synthesis and binding studies of new molecular clefts for recognition and catalysis 330
Pikkemaat, J.A., see **Quaedflieg, P.J.L.M.** 15
Plate, R., see **Wieringa, J.** 143
Ploegh, H.L., see **van den Broek, L.A.G.M.** 82
Pochini, A., see **Casnati, A.** 384
Prados, P., see **de Mendoza, J.** 367
Put, J., see **Versloot, P.** 273
Quaedflieg, P.J.L.M.
 –, **Pikkemaat, J.A.**, **van der Marel, G.A.**, **Kuyl-Yeheskiely, E.**, **Altona, C.** and **van Boom, J.H.**
 Synthesis and physicochemical properties of decanucleotides containing (3' \rightarrow 5')-O-CH₂-O-linkages at predetermined positions 15
Raaijmakers, H.W.C.
 –, **Eveleens, S.M.**, **Arnouts, E.G.**, **Zwanenburg, B.** and **Chittenden, G.J.F.**
 Preparation and catalytic hydrogenolysis of some ω -halogenoalkyl β -D-fructopyranosides; a convenient route to simple alkyl β -D-fructopyranosides 511
Rachwal, B., see **Katritzky, A.R.** 552
Rachwal, S., see **Katritzky, A.R.** 552
Rebek, Jr., J., see **Pieters, R.J.** 330
Reedijk, J., see **Driessen, W.L.** 309
Reedijk, J., see **Hulsbergen, F.B.** 278
Reedijk, J., see **Versloot, P.** 273
Reichwein, A.M.
 –, **Verboom, W.** and **Reinhoudt, D.N.**
 Binaphthyl metallomacrocycles for complexation of neutral molecules 358
Reichwein, A.M.
 –, **Verboom, W.** and **Reinhoudt, D.N.**
 Functionalized binaphthyl salophen crown ethers as models for the enzyme urease 595
Reinhoudt, D.N., see **Reichwein, A.M.** 358
Reinhoudt, D.N., see **Reichwein, A.M.** 595
Reinhoudt, D.N., see **van Straaten-Nijenhuis, W.F.** 317
Reinhoudt, D.N., see **Verboom, W.** 549
Rijk, H., see **Wieringa, J.** 143
Ringsdorf, H., see **Hessel, V.** 339
Rissanen, K., see **Vögtle, F.** 325
Roeters, T., see **Wieringa, J.** 143
Sánchez, C., see **de Mendoza, J.** 367
Sauvage, J.P., see **Albrecht-Gary, A.M.** 427
Scherer, T.
 –, **Hielkema, W.**, **Krijnen, B.**, **Hermant, R.M.**, **Eijkelhoff, C.**, **Kerkhof, F.**, **Ng, A.K.F.**, **Verleg, R.**, **van der Tol, E.B.**, **Brouwer, A.M.** and **Verhoeven, J.W.**
 Synthesis and exploratory photophysical investigation of donor-bridge-acceptor systems derived from N-substituted 4-piperidones 535
Schipper, F.J.M., see **Smid, P.** 451
Schneider, H.-J.
 NMR spectroscopy and molecular-mechanics calculations in supramolecular chemistry 412
Schonk, R.M.
 –, **Bakker, B.H.** and **Cerfontain, H.**
 Reactions of cumulated and conjugated dienes with sulfur trioxide 201
Schonk, R.M.
 –, **Lembeck, I.**, **Bakker, B.H.** and **Cerfontain, H.**
 Intramolecular competition in Friedel-Crafts sulfoxycyclization of ω -(1-naphthyl)-*n*-alkenes and 1,7-diphenyl-3-heptene on reaction with sulfur trioxide 247
Schonk, R.M.
 –, **Meijer, C.W.**, **Bakker, B.H.**, **Zöllner, S.**, **Cerfontain, H.** and **de Meijere, A.**
 Reactions of methylenecycloalkanes and cycloalkylidenecycloalkanes with sulfur trioxide 457
Schoonbeek, F.S., see **Edema, J.J.H.** 370
Schouten, A., see **Keegstra, E.M.D.** 423
Schouten, P.G., see **Keegstra, E.M.D.** 423
Schrijvers, R., see **Kesselmans, R.P.W.** 226
Selje, F.R., see **Driessen, W.L.** 309
Sheldon, R.A., see **de Zoete, M.C.** 462
Shinkai, S., see **Nagasaki, T.** 407
Sijbesma, R.P.
 – and **Nolte, R.J.M.**
 Synthesis of concave receptors derived from diphenylglycoluril 643
Sijbesma, R.P., see **Gosling, P.A.** 404
Sijbesma, R.P., see **Martens, C.F.** 400
Sinnema, A., see **Meuzelaar, G.J.** 573
Smeets, W.J.J., see **Gruter, G.-J.M.** 425
Smid, P.
 –, **Schipper, F.J.M.**, **Broxterman, H.J.G.**, **Boons, G.J.P.H.**, **van der Marel, G.A.** and **van Boom, J.H.**
 Use of (chloromethyl)dimethylphenylsilane in sugar chemistry. Stereo-controlled approach to destomic acid and 1-deoxy-nojirimycin 451
Smith, T.P., see **Katritzky, A.R.** 552
Soudijn, W., see **van Wijngaarden, I.** 126
Spek, A.L., see **Barf, T.** 376
Spek, A.L., see **Edema, J.J.H.** 370
Spek, A.L., see **Gosling, P.A.** 404
Spek, A.L., see **Martens, C.F.** 400
Spek, A.L., see **Gruter, G.-J.M.** 425
Spek, A.L., see **Keegstra, E.M.D.** 423
Spijker, N.M.
 –, **Basten, J.E.M.** and **van Boeckel, C.A.A.**

- Unexpected phenomena in glycosylations of acceptors with L-idose configuration 611
- Stam, C.H., see de Boer, J.S.A.M. 635
- Steenvoorden, J., see Wieringa, J. 143
- Stoddart, J.F., see Amabilino, D.B. 429
- Sudhölter, E.J.R., see Kesselmans, R.P.W. 226
- Tabor, R.B.J., see Hansen, C.B. 497
- Tajiri, Y., see Nagasaki, T. 407
- Tan, M.C.A.A., see van den Broek, L.A.G.M. 82
- Tap, P.G.J.A., see Weijnen, J.G.J. 525
- Timmerman, H., see Vollinga, R.C. 123
- Timmers, C.M.
- , van der Marel, G.A. and van Boom, J.H.
 - A note on the solid-phase synthesis of oligosaccharides by the *Danishefski* approach 609
- Tulp, M.Th.M., see van Wijngaarden, I. 126
- Ugozzoli, F., see Casnati, A. 384
- Ungaro, R., see Casnati, A. 384
- van Axel Castelli, V., see Cacciapaglia, R. 347
- van Bakel, F., see Wieringa, J. 143
- van Bekkum, H., see de Goede, A.T.J.W. 567
- van Bekkum, H., see Venema, F.R. 445
- van Boeckel, C.A.A., see Spijker, N.M. 611
- van Boeckel, C.A.A., see van den Broek, L.A.G.M. 82
- van Bolhuis, F., see Barf, T. 376
- van Boom, J.H., see Quaedflieg, P.J.L.M. 15
- van Boom, J.H., see Smid, P. 451
- van Boom, J.H., see Timmers, C.M. 609
- van Boom, J.H., see Verduyn, R. 464
- van Boom, J.H., see Zuurmond, H.M. 507
- van der Klein, P.A.M., see Verduyn, R. 464
- van der Marel, G.A., see Timmers, C.M. 609
- van der Marel, G.A., see Verduyn, R. 464
- van den Berg, K.J.
- and van Leusen, A.M.
 - Formation and [4 + 2] cycloaddition reactions of 2,3-dimethylene-2,3-dihydrothiophene 7
- van den Broek, L.A.G.M.
- , Vermaas, D.J., Heskamp, B.M., van Boeckel, C.A.A., Tan, M.C.A.A., Bolscher, J.G.M., Ploegh, H.L., van Kemenade, F.J., de Goede, R.E.Y. and Miedema, F.
 - Chemical modification of azasugars, inhibitors of N-glycoprotein-processing glycosidases and of HIV-I infection. Review and structure–activity relationships 82
- van den Meerendonk, A., see Wieringa, J. 143
- van der Haest, A.D.
- , Wynberg, H., Leusen, F.J.J. and Bruggink, A.
 - Towards a rational design for resolving agents. Part V. Substituent effects in the resolution of ephedrine using a series of cyclic phosphoric acids 230
- van der Hulst, R., see Wieringa, J. 143
- van der Marel, G.A., see Quaedflieg, P.J.L.M. 15
- van der Marel, G.A., see Smid, P. 451
- van der Marel, G.A., see Zuurmond, H.M. 507
- van der Tol, E.B., see Scherer, T. 535
- van der Wart, H.W.A., see Born, J.G.P. 262
- van der Werf-Pieters, J.M.L., see Hermkens, P.H.H. 95
- van Duin, M., see Versloot, P. 273
- van Galen, A.J.J., see Groesbeek, M. 237
- van Hummel, G.J., see Verboom, W. 549
- van Kemenade, F.J., see van den Broek, L.A.G.M. 82
- van Koten, G., see Wissing, E. 618
- van Leusen, A.M., see van den Berg, K.J. 7
- van Nispen, J.W., see Hermkens, P.H.H. 95
- van Rantwijk, F., see de Goede, A.T.J.W. 567
- van Rantwijk, F., see de Zoete, M.C. 462
- van Straaten-Nijenhuis, W.F.
- , de Jong, F. and Reinhoudt, D.N.
 - Macrocyclic carriers in supported liquid membranes 317
- van Wijngaarden, I.
- , Tulp, M.Th.M. and Soudijn, W.
 - Serotonin agonists and antagonists. Pharmacological tools and therapeutics 126
- Venema, F.R.
- , Peters, J.A. and van Bekkum, H.
 - Multinuclear-magnetic-resonance study of the coordination of aluminium(III)–aldarate complexes with calcium(II) in aqueous solution 445
- Vera, W., see Banerjee, A.K. 259
- Verboom, W.
- , Morzherin, Y., Kelderman, E., Engbersen, J.F.J., van Hummel, G.J., Harkema, S. and Reinhoudt, D.N.
 - Synthesis of 2,3-dihydro-1*H*,4*H*,6*H*-furo[3,4-*b*]pyrrolo[1,2-*a*]quinoline-6*a*(7*H*)-carbonitrile; a novel type of intramolecular tetrahydrofuran formation 549
- Verboom, W., see Reichwein, A.M. 358
- Verboom, W., see Reichwein, A.M. 595
- Verduyn, R.
- , van der Klein, P.A.M., Douwes, M., van der Marel, G.A. and van Boom, J.H.
 - Polymer-supported solution synthesis of a heptaglucoside having phytoalexin elicitor activity 464
- Verhoeven, J.W., see Scherer, T. 535
- Verleg, R., see Scherer, T. 535
- Vermaas, D.J., see van den Broek, L.A.G.M. 82
- Versloot, P.
- , Dargan, P., Haasnoot, J.G., Reedijk, J., van Duin, M., Put, J. and Goubitz, K.
 - Reactivity of zinc dialkyldithiocarbamates towards halogen-substituted olefins 273
- Vertut, M.C., see de Mendoza, J. 367
- Vögtle, F.
- , Brodesser, G., Nieger, M. and Rissanen, K.
 - Binding of water and solvent molecules in a 25-membered-ring host compound 325
- Vollinga, R.C.
- , Menge, W.M.P.B. and Timmerman, H.
 - A new convenient route for the synthesis of 4(5)-(ω-aminoalkyl)-1*H*-imidazoles 123
- Warman, J.M., see Keegstra, E.M.D. 423
- Weijnen, J.G.J.
- and Engbersen, J.F.J.
 - Catalytic hydrolysis of phosphate esters by metallocomplexes of 1,10-phenanthroline derivatives in micellar solution 351
- Weijnen, J.G.J.
- , Koudijs, A., Tap, P.G.J.A. and Engbersen, J.F.J.
 - Hydrolysis of 4-nitrophenyl esters of picolinic acid and N-protected amino acids by metalloenzyme models in vesicular assemblies 525
- Wicks, Jr., Z.W.
- , Jones, F.N. and Pappas, S.P.
 - Organic Coatings. Science and Technology. Vol 1: Film Formation, Components, and Appearance 565
- Wieringa, J.
- , van den Meerendonk, A., Steenvoorden, J., Heeres, G., van Bakel, F., Roeters, T., van der Hulst, R., den Blanken, A., Leysen, D., de Boer, Th., Rijk, H. and Plate, R.
 - Monoamine re-uptake inhibiting 1-[2-[(phenoxyphenyl)methoxy]ethyl]piperazines as potential antidepressants 143
- Wijnberg, J.B.P.A., see Kesselmans, R.P.W. 226
- Wissing, E.
- , Kleijn, H., Boersma, J. and van Koten, G.
 - Regioselective introduction of functional groups in α-diimines by means of dialkylzinc compounds. Synthesis of functionalized 2- and 3-pyrrolidinone derivatives 618
- Woudenberg, R.H.
- , Lie, T.S. and Maat, L.
 - Reactions of thebaine and 6-demethoxythebaine anions with carbonyl compounds; novel Diels–Alder adducts from 5β-substituted thebaines (chemistry of opium alkaloids, Part XXXIX) 557
- Woudenberg, R.H.
- , Meuzelaar, G.J. and Maat, L.
 - Synthesis of 7-substituted 6-demethoxythebaines and Diels–Alder reaction of 7-methoxy-5β-methyl-6-demethoxythebaine (chemistry of opium alkaloids, part XLI) 578
- Woudenberg, R.H., see Meuzelaar, G.J. 573
- Wynberg, H., see van der Haest, A.D. 230
- Yokota, G., see Cutler, H.G. 467
- Zelvelder, E., see Ansink, H.R.W. 210
- Zelvelder, E., see Ansink, H.R.W. 216
- Zöllner, S., see Schonk, R.M. 457
- Zuithof, H., see Mulder, P.P.J. 287
- Zuurmond, H.M.
- , van der Marel, G.A. and van Boom, J.H.
 - Potential usefulness of sugar 1,2 thio ortho esters in iodonium-promoted glycosidation 507
- Zwanenburg, B., see Raaijmakers, H.W.C. 511
- Zwicker, J.W., see Keegstra, E.M.D. 423

Subject Index

- abzymes, programmed antibodies, review, 431
aceanthrenes, nitro-, 287
aceanthrylenes, nitro-, 287
acephenanthrylenes, methyl-, 22
acetanilide, 4-chloro-, oxidative metabolism by cytochrome P450, 186
acetonitrile, triethoxy-, α -keto esters, synth., review, 471
(*R*)-1-acetyl-5-isopropoxy-3-pyrrolin-2-one, thesis, 515
N-acetylneuraminic acid, review, 471
acid alizarin violet N, like dyes, 552
acrylic ester, in lipase-catalyzed 6-*O*-acylation of α -D-glucopyranosides, 567
acrylonitrile, 2-ethoxy-, α -keto esters, synth., review, 471
active site, in Cu proteins, 278
acylase, in medicinal chemistry, review, 66
N-acyliminium, ion precursor, thesis, 515
7-ADCA, in medicinal chemistry, review, 66
adenine, receptor for hosts, 330
adenylosuccinate lyase, in medicinal chemistry, review, 51
agonist-receptor interaction, in medicinal chemistry, 43
AIDS, in medicinal chemistry, review, 82
aldarate, aluminum calcium complex, ^1H -, ^{13}C -, ^{17}O -, ^{27}Al -NMR, 431
alkali-metal ions, 18-crown-5, catalytic cleavage, 347
alkaloids, see also opium alkaloids; neopine, 573; thebaine with carbonyls, 557; thebaine, 7-substd. 6-demethoxy-, 578
alkanes, book, 41
alkylarenesulfonates, micellization, thermodynamics, 393
alkyldenestungen(VI), in thesis, 470
alkynes, α -keto esters, synth., review, 471
allene, sulfonation, 201
allylic rearrangement, in neopine synth., 573
aluminum, calcium aldarate complex, ^1H -, ^{13}C -, ^{17}O -, ^{27}Al -NMR, 431
amidoalkylation, molecular cavity from diphenylglycoluril, 643
amine re-uptake, inhibited by piperazines, 143
amines, diphenylalkyl-, modulators of calcium and calmodulin, thesis, 314
amino acids, calixarenes, modification, 407
amino-acid sequence, CCK-A agonists, in medicinal chemistry, review, 95
amperometric biosensors, third generation -, thesis, 39
amphiphiles, dipolar, 339
analgesics, K-opioid receptor agonists, 169
anesthesine, in medicinal chemistry, 43
8-anilino-1-naphthalenesulfonate (ANS), calixarenes, modified with L-cysteine, fluorescence, 407
announcement, Trends in Drug Research, Noordwijkerhout, 200
annulation, furopyrroloquinolinecarbonitrile, 549
[10]annulenes, 1,6-methano-, electrophilic substitution, 584
ANS, see 8-anilino-1-naphthalenesulfonate
antagonist-receptor interaction, in medicinal chemistry, 43
antibodies, programmed as tailor-made catalysts, review, 431
anticancer agents, aziridinylquinones, 174
antidepressants, piperazines, 143
antidiarrhea agents, in medicinal chemistry, 43
antiferromagnetism, Cu 1-(2-hydroxyethyl)pyrazole complex, 309
antigens, carbohydrates, book, 650
antiglucocorticoid activity, mifepristone analog, 107
antiprogestagens, 107
antipsychotics, in medicinal chemistry, 43
antisense, in decanucleotides with (3' \rightarrow 5')-O-CH₂-O- linkage, 15
antitussives, in medicinal chemistry, 43
antiulcer agents, in medicinal chemistry, 43
antiviral activity, in medicinal chemistry, review, 51, 82
6-APA, in medicinal chemistry, review, 66
arabinarate, aluminum calcium complex, ^1H -, ^{13}C -, ^{17}O -, ^{27}Al -NMR, 431
armed", thioglycosyl acceptor, 507
aryl radicals, in benzene gas-phase oxychlorination, 262
arylpiperazines, conformation, 151
arylpiperidines, conformation, 151
asymmetric synthesis, contraceptive gonatetraenone deriv., 627
atropine, in medicinal chemistry, 43
atropisomerism, *tert*-butyl isocyanide oligomers, MM, 33
autobiographies, chemists, book, 652
asynchronous cycloaddition, 7-substd. 6-demethoxythebaine, 578
aza sugars, in medicinal chemistry, review, 82
aziridinylquinones, SAR, 174
azo dyes, derived from eriochrome red B and acid alizarin violet N, 552
azulene sesquiterpenes, *cis*-hydro-, thesis, 314
azulene, perhydro-, from dehydration of 1-(trimethylsiloxy)-decalin, 259
bacteriorhodopsins, labeling, thesis, 470; 237
bacteriorhodopsin, 5-methyl influence, 303
BAL2, see nucleophilic cleavage of S_N2 type
barium, binaphthyl metallomacrocycles, 358
base-induced elimination, thesis, 469
basket molecule, from diphenylglycoluril, crystal structure, 400
benzene, gas-phase oxychlorination, 262
benzenediol, as [2]catenane unit, 429
benzenemethanethiolate, 18-crown-5, cleavage, 347
benzenesulfonates, micellization, thermodynamics, 393
benzodiazepines, nucleosides in medicinal chemistry, review, 51
benzonitrile, gas-phase oxychlorination, 262
1,4-benzoquinone, 2,5-didecyloxy-, charge migration in solid phase, 423
benzo[*a*]xanthenylidene-1,2-ethanediamine, *N,N'*-bis-, ZnCl₂ complex, crystal structure, 377
bicyclopopylidene, influence of substituents on geometry, 635
bidentate, 1-(2-hydroxyethyl)pyrazole, 309
binaphthyl metallomacrocycles, complexation, 358
binaphthyl salophen, crown ethers, 595
binary fluid mixtures, thesis, 272
binding, see host-guest chemistry
biology, mass spectrometry, book, 236
biomedical polyurethane networks, thesis, 272
bio reduction, aziridinylquinones, 174
biosensors, third generation amperometric -, thesis, 39
biosynthesis, tetrapyrroles, book, 271
bipyridines, cyclomeric - as host, 330
4,4'-bipyridine, as [2]catenane unit, 429
bisimidazolyl-cyclophanes, esterase activity, 335
3-BMC, in medicinal chemistry, review, 66
books, advanced organic chemistry: reactions, mechanism, structure, 468; alkanes and cycloalkanes, chemistry, 41; autobiographies of chemists, 652; biosynth. of tetrapyrroles, 271; brassinosteroids, 467; carbohydrate antigens, 650; chirality in industry, 565; fused pyrimidines, 517; gas-phase ion chemistry, 518; inorganic chemicals handbook, 517; macromolecular science, 316; mass spectrometry in biology, 236; membrane chemistry, 315; natural products, 652; NMR, 651; organic chemistry, 41; organic coatings, vol 1: films, 565; organic reactions, vol. 41, 516; organic synth., vol. 70, 652; organometallic chemistry of transition metals, 467; organometallic chemistry, 315; organophosphorus, 271; Pedersen memorial issue, 516; progress in heterocyclic chemistry, 315; pyrroles, 649; radical ionic systems, condensed phases, 42; reagents for organic synth., 468; Rodd's chemistry of carbon compounds, 2nd suppl., 650; stereochemistry of organic compounds, 42; supramolecular chemistry, 651; tandem organic reactions, 518; thiophenes, 649
boron tribromide, *O*-demethylation in etorphine analogs, 113
bovine rhodopsins, labeling, thesis, 470
brassinosteroids, book, 467
bromination, homoperylene, 584
bromoalkenes, with Zn dialkyldithiocarbamates, 273
N-bromosuccinimide, see succinimide, *N*-bromo-
tert-butyl isocyanide oligomers, MM, 33
tert-butyldimethylsilyl, protecting group, 123
butyrophenone, type medicines, 43
C₃S₅, Ni, Pd conducting complexes, 314
C₆₀, with ozone, 531, 639
C₇₀, with ozone, 531, 639
C₇₆, with ozone, 639

- C₇₈**, with ozone, 639
C₈₄, with ozone, 639
CaA, zeolite, in lipase-catalyzed 6-*O*-acylation of α -D-glucopyranosides, 567
cage-type cyclophanes, with cylindric and helical cavity, 421
calcium, aluminum aldarate complex, ¹H-, ¹³C-, ¹⁷O-, ²⁷Al-NMR, 431; diphenylalkylamines: modulators of – and calmodulin, thesis, 314
calculation, arylpiperidines, conformation, 151; oxidative metabolism of 4-chloroacetanilide by cytochrome P450, 186
calix[4]arenes, dipole moment, conformation, 367; diquinones, 384; for heavy-metal-ion sensors, thesis, 40; macrocyclic carriers in membranes, review, 317; water-soluble, 407
calix[6]arenes, water-soluble, 407
calmodulin, diphenylalkylamines: modulators of calcium and –, thesis, 314
CAOS, see computer-assisted organic synth.
carban-ions, α -keto esters, synth., review, 471
carbazoles, cyclomeric – as host, 330
carbene adducts, of uridine derivs. in medicinal chemistry, review, 51
carbohydrates, aluminum calcium aldarate, ¹H-, ¹³C-, ¹⁷O-, ²⁷Al-NMR, 431; antigens, book, 650; destomic acid and 1-deoxynojirimycin, 451; for chiral products, thesis, 314; α -D-glucopyranosides, lipase-catalyzed 6-*O*-acylation, 567; glycosylation of acceptors with L-idose configuration, 611; ω -halogenoalkyl- β -D-fructopyranosides, 511; heptagluco-side, solid-phase synth., 464; nucleoside analogs in medicinal chemistry, review, 51; sialyltransferases, thesis, 470; solid-phase synth., 609; sugar 1,2-thio ortho esters, 507
carbon, C₆₀ and C₇₀ with ozone, 531; C₆₀, etc., with ozone, 639
carbon-13, in labeled drugs, 191
carbon-14, in labeled drugs, 191
carbonium ions, hypervalently coordinated, gas-phase chemistry, thesis, 272
carbyl sulfates, naphthols, 210; with naphthylalkenes and diphenylheptene, 247
carbyl sulfate, from SO₃ and dienes, 201
carfentanyl, in medicinal chemistry, 43
catalysis, 18-crown-5, cleavage by alkali-metal ions, 347; esterase activity of imidazolyl-cyclophanes, 335; hydrolysis of phosphate esters by 1,10-phenanthroline metal complexes, 351; iodonium in glycosidation by sugar 1,2-thio ortho esters, 507; lipase-catalyzed 6-*O*-acylation of α -D-glucopyranosides, 567; programmed antibodies, review, 431; 2-pyridinecarboxylic acid 4-nitrophenyl esters, hydrolysis, 525; vulcanization by metal compds., thesis, 469
catechol, as [2]catenane unit, 429
[2]catenanes, contg. benzenediol units, 429
cavity molecule, from diphenylglycoluril, crystal structure, 404; from diphenylglycoluril, 643
CCK (cholecystokinin), in medicinal chemistry, review, 95
CCK-A agonists, in medicinal chemistry, review, 95
CD, see Circular Dichroism
cephalosporins, transformation, in medicinal chemistry, review, 66
cesium ions, 18-crown-5, catalytic cleavage, 347
charge migration, in 2,5-didecyloxy-1,4-benzoquinone in solid phase, 423
charge-transfer fluorescence, donor-bridge-acceptor systems from *N*-substd. 4-piperidones, 535
chemists, autobiographies, book, 652
chirality, *N,N'*-bisbenzo[*a*]xanthenylidene-1,2-ethanediamine, 377; carbohydrates for chiral products, thesis, 314; cyclophanes with cylindric and helical cavity, 421; in enantioselective cleavage of esters by histidine-contg. tripeptides, 1; in industry, book, 565; 2-pyridinecarboxylic acid 4-nitrophenyl esters, hydrolysis, 525
4-chloroacetanilide, oxidative metabolism by cytochrome P450, 186
4-chlorobutanoate, in lipase-catalyzed 6-*O*-acylation of α -D-glucopyranosides, 567
(chloromethyl)dimethylphenylsilane, for destomic acid and 1-deoxynojirimycin, 451
chromophores, in bacteriorhodopsins, 237, 303
circular dichroism (CD), cyclophanes with cylindric and helical cavity, 421
CIS, see complexing-induced NMR shift
Claisen-ene strategy, contraceptive gonatetraenone deriv., 627
cleavage, 18-crown-5, 347; enantioselective – of esters by histidine-contg. tripeptides, 1
CMC, see critical micellar concentration
coatings, organic –, vol 1: films, book, 565
cobalt, 1-(2-hydroxyethyl)pyrazole complex, 309; proteins, 278
cocaine, in medicinal chemistry, 43
codeine, 14 β -bromo–, in neopine synth., 573
competition, in Friedel-Crafts sulfoxycyclization of naphthylalkenes and diphenylheptene, 247
complexing-induced NMR shift (CIS), supramolecules, review, 412
complexation, binaphthyl metallomacrocycles, 358; binaphthyl salophen crown ether uranyl complex, 595; NMR and MM of supramolecules, review, 412; 2,4,6-tribenzyl-1,3,5-trithiane with Ag, 370
computational chemistry, thrombin, 161
computer graphics, K-opioid receptor agonists, 169
computer-assisted organic synthesis (CAOS), COSYMA system, 503
condensed phases, radical ionic systems, book, 42
conductors, based on M(C₃S₅)₂ and M(C₃Se₅)₂, thesis, 314; 2,5-didecyloxy-1,4-benzoquinone in solid phase, 423; dipolar amphiphiles, 339
conformation, arylpiperidines, 151, 151; calix[4]arenediquinones, 384; calix[4]arenes, from dipole moment, 367; cyclophanes with cylindric and helical cavity, 421; deoxynojirimycin, in medicinal chemistry, review, 82; eudesm-11-en-4-ols, 226; *tert*-butyl isocyanide oligomers, MM, 33; nitroaceanthrylenes and -aceanthrenes, 287; NMR and MM of supramolecules, review, 412
conjugated dienes, sulfonation, 201
contraceptive steroid, gonatetraenone deriv., 627
coordination, Co, Ni, Cu, Zn 1-(2-hydroxyethyl)pyrazole complexes, 309; see complexation; L-histidyl-containing tri- and pentapeptides with Co, Zn, Cu, 278; in W^{VI} alkylidene chemistry, thesis, 470
copper, 1,10-phenanthroline trefoil knot, crystal structure, 427; binding to hosts, 330; 1-(2-hydroxyethyl)pyrazole complex, crystal structure, 309; proteins, 278
COSYMA system, protective groups, CAOS, 503
counter-ion binding, alkylarenesulfonate micellization, 393
critical micellar concentration (CMC), calixarenes, modified with L-cysteine, 407; dipolar amphiphiles, 339
crown ethers, binaphthyl salophen, 595; contg. benzenediol units, 429; macrocyclic carriers in membranes, review, 317; Pedersen memorial issue, book, 516; thia–, 370
15-crown-4, iodo–, with Et₂ZN, iodine-zinc exchange, 425
18-crown-5, 2-(methoxycarbonyl)-1,3-xylylene–, cleavage, 347
crystal structure, (2-iodozincio-1,3-xylylene)-15-crown-4, 425; *N,N'*-bisbenzo[*a*]xanthenylidene-1,2-ethanediamine ZnCl₂ complex, 377; calix[4]arenediquinones, 384; Cu 1-(2-hydroxyethyl)pyrazole complex, 309; dicyclopropyl derivs., 635; 2,3-dimethyl-2-butenyl dimethyldithiocarbamate, 273; furopyrroloquinolinecarbonitrile, 549; homoperylene, 584; molecular basket from diphenylglycoluril, 400; molecular cavity from diphenylglycoluril, 404; musk compounds, thesis, 39; pyridine cyclomer, 325; thrombin, 161; 2,4,6-tribenzyl-1,3,5-trithiane, 370
CT fluorescence, donor-bridge-acceptor systems from *N*-substd. 4-piperidones, 535
cumulative dienes, sulfonation, 201
cyanation, decalinone by Me₃SiCN, 259; for methanoretinol, 237
cyanofornate, α -keto esters, synth., review, 471
cyanohydrins, α -keto esters, synth., review, 471
cyclic hydrazines, thesis, 515
cyclic phosphates, for ephedrine resolution, 230
cyclic voltammetry, binaphthyl salophen crown ether uranyl complex, 595; calix[4]arenediquinones, 384
 π -cyclization, α -methoxycarbonyl oxycarbenium ions, thesis, 515
cycloaddition, 7-substd. 6-demethoxythebaine, 578; SO₃ + dienes, 201; thebaine with carbonyls, 557; of 2,3-[4 + 2]–, dimethylene-2,3-dihydrothiophene, 7
cycloalkanes, book, 41; methylene– with SO₃, 457
cycloalkylidenecycloalkanes, with SO₃, 457
cyclodextrines, NMR and MM of supramolecules, review, 412
cyclohexanol, from decompn. of cyclohexyl hydroperoxide, 497
cyclohexanone, from decompn. of cyclohexyl hydroperoxide, 497
cyclomers, macrocyclic carriers in membranes, review, 317
cyclopenta-fused hydrocarbons, methylacephenanthrylenes, 22
cyclopentanthracenes, 287
cyclopent[*hi*]acephenanthrylene, 255
cyclophanes, imidazolyl–, esterase activity, 335; NMR and MM of supramolecules, review, 412; with cylindric and helical cavity, 421
cyclopropanes, influence of substituents on geometry, 635
cylomeric pyridines, host molecules, 325
L-cysteine, calixarenes, modification, 407
cytochrome P450, oxidative metabolism of 4-chloroacetanilide, 186
cytostatic activity, in medicinal chemistry, review, 51
Danisheski approach, solid-phase synth. of oligosaccharides, 609
Darzens condensation, α -keto esters, synth., review, 471
decalin, 1-(trimethylsiloxy)–, dehydration to perhydroazulene, 259
decanucleotides, with (3' \rightarrow 5')-O-CH₂-O- linkage, 15
demetallation, Cu^I 1,10-phenanthroline trefoil knot, kinetics, 427
6-demethoxythebaine, with carbonyls, 557
3-deoxy-D-manno-octulosonic acid, review, 471
deoxynojirimycin, in medicinal chemistry, review, 82
destomic acid, 451
deuterium, in labeled drugs, 191
dialkyldithiocarbamates, Zn –, with haloalkenes, 273

- dialkylzinc**, in regioselective introduction of functional groups in α -diimines, 618
- diastereomeric salts**, ephedrine, 230
- 1-diaza-2-butanone**, intermediate in dopamine receptor, 137
- diazonium salts**, for dyes like eriochrome red B and acid alizarin violet N, 552
- (dicyclopropylmethylene)cyclopropane**, influence of substituents on geometry, 635
- dicylopentaphenanthrenes**, 255
- didemethylmethanoretinals**, 237
- didentate**, 1-(2-hydroxyethyl)pyrazole, 309
- Diels-Alder reaction**, 7-substd. 6-demethoxythebaine, 578; etorphine analogs, 113; thebaine with carbonyls, 557
- dienes**, sulfonation, 201
- diethylzinc**, iodine-zinc exchange with (2-iodo-1,3-xylylene)-15-crown-4, 425
- dihydrothiophene, 2,3-dimethylene-2,3-**, [4 + 2] cycloaddition, 7
- α -diimines**, regioselective introduction of functional groups, 618
- 2,3-dimethyl-2-butenyl dimethyldithiocarbamate**, crystal structure, 273
- dimethylsulfamoyl**, protecting group, 123
- 1,3,2,4-dioxadithiane tetraoxide**, from SO_3 and dienes, 201
- 1,7-diphenyl-3-heptene**, sulfonation, 247
- diphenylalkylamines**, modulators of calcium and calmodulin, thesis, 314
- diphenylglycoluril**, basket molecule from -, crystal structure, 400; cavity molecule from -, crystal structure, 404; cavity molecule from -, 643
- dipolar amphiphiles**, 339
- dipole moment**, calix[4]arenes, conformation, 367
- 3,4'-diquinoliny sulfides**, 519
- directing effect**, methoxynaphthol sulfonation, 216
- disaccharide**, idose-galactose glycosylation, 611
- disarmed**, thioglycosyl acceptor, 507
- dissociation, unimolecular -**, in gas-phase reactions, thesis, 39
- [1,4]dithiino[2,3-c:5,6-c']diquinoline**, for 3,4'-diquinoliny sulfides, 519
- dithiocarbamates**, Zn dialkyl-, with haloalkenes, 273
- donor-bridge-acceptor systems**, from *N*-substd. 4-piperidones, 535; thesis, 40
- dopamine re-uptake**, inhibited by piperazines, 143
- dopamine-receptor agonist**, a thienyl naphthalenediol, 137
- dressed-micelle model**, alkylarenesulfonates, 393
- drugs**, design for K-opioid receptor agonists, 169; design for thrombin, 161; labeling, 191; see medicinal chemistry; research symposium, Noordwijkerhout, 200
- dyes**, derived from eriochrome red B and acid alizarin violet N, 552
- dynamic NMR**, eudesm-11-en-4-ols, 226
- electrochemistry**, aziridinylquinones SAR, 174; binaphthyl salophen crown ether uranyl complex, 595
- electron paramagnetic resonance (EPR)**, Cu 1-(2-hydroxyethyl)pyrazole complex, 309
- electrophilic substitution**, homoperylene, 584
- elimination**, base-induced, thesis, 469
- enantioselectivity**, cleavage of esters by histidine-contg. tripeptides, 1; 2-pyridinecarboxylic acid 4-nitrophenyl esters, hydrolysis, 525
- enthalpy**, see thermodynamics
- enzymes**, binaphthyl salophen crown ethers as urease model, 595; in enantioselective cleavage of esters by histidine-contg. tripeptides, 1; inhibition in medicinal chemistry, review, 51; lipase-catalyzed 6-*O*-acylation of α -D-glucopyranosides, 567; metallomacrocycles as models, thesis, 470; programmed antibodies, review, 431; 2-pyridinecarboxylic acid 4-nitrophenyl esters, hydrolysis, 525
- epoxides**, in neopine synth., 573
- EPR**, see electron paramagnetic resonance
- eriochrome red B**, like dyes, 552
- ester cleavage, enantioselective -**, by histidine-contg. tripeptides, 1
- esterase activity**, imidazolylcyclophanes, 335
- esterification**, in lipase-catalyzed 6-*O*-acylation of α -D-glucopyranosides, 567
- ethenoidisomorphinans**, 7-substd. 6-demethoxythebaine, 578; etorphine analogs, 113; thebaine with carbonyls, 557
- ethenoidisomorphinans**, 7-substd. 6-demethoxythebaine, 578
- etorphine**, analog from thebaine with carbonyls, 557; analogs, 113
- eudesm-11-en-4-ols**, conformation, 226; thesis, 273
- ferrodoxines**, synthetic analogs, thesis, 469
- ferromagnetism, anti-**, Cu 1-(2-hydroxyethyl)pyrazole complex, 309
- films**, organic coatings, vol 1, book, 565
- fluorescence**, calixarenes, modified with L-cysteine, 407; donor-bridge-acceptor systems from *N*-substd. 4-piperidones, 535
- 5-fluorouracil**, prodrug in medicinal chemistry, review, 51
- force-field calculations**, MM on *tert*-butyl isocyanide oligomers, 33; NMR and MM of supramolecules, review, 412
- formate, ethyl cyano-**, α -keto esters, synth., review, 471
- formylation**, homoperylene, 584
- Fourier-transform ion-cyclotron resonance (FT-ICR)**, gas-phase chemistry of hypervalently coordinated carbonium ions, thesis, 272
- Fourier-transform IR**, bacteriorhodopsins, 303; hyphenated - for polymers, thesis, 39
- free radicals**, see radicals
- Friedel-Crafts reaction**, α -keto esters, synth., review, 471; sulfocyclization of naphthylalkenes and diphenylheptene, 247
- β -D-fructopyranosides**, alkyl - and ω -halogenoalkyl -, 511
- D-fructose**, for ω -halogenoalkyl β -D-fructopyranosides, 511
- FT-ICR**, see Fourier-transform Ion-Cyclotron Resonance
- FT-IR**, see Fourier-transform IR
- fullerenes**, with ozone, 531, 639
- furan, 2-acetyl-**, α -keto esters, synth., review, 471
- fuopyrroloquinolinecarbonitrile**, 549
- fused pyrimidines**, book, 517
- G-protein-coupled receptors**, 131; arylpiperidines, conformation, 151
- GAMSS**, computer program for calculation on oxidative metabolism of 4-chloroacetanilide by cytochrome P450, 186
- gas-phase chemistry**, hypervalently coordinated carbonium ions, thesis, 272; ions, book, 518; oxychlorination of benzene, 262; unimolecular dissociation, thesis, 39
- generalization**, protective groups in COSYMA system, CAOS, 503
- glucarate**, aluminum calcium complex, ^1H -, ^{13}C -, ^{17}O -, ^{27}Al -NMR, 431
- α -D-glucopyranosides**, lipase-catalyzed 6-*O*-acylation, 567
- glutarimide**, nucleosides in medicinal chemistry, review, 51
- glycoluril, diphenyl-**, basket molecule from -, crystal structure, 400; cavity molecule from -, crystal structure, 404; cavity molecule from -, 643
- glycosidases**, inhibition, in medicinal chemistry, review, 82
- glycosidation**, by sugar 1,2-thio ortho esters, 507
- glycosylation**, acceptors with L-idose configuration, 611
- glyoxylate thioacetals**, α -keto esters, synth., review, 471
- gonatetraenone**, deriv., 627
- guaianolide**, skeleton from 1-(trimethylsiloxy)decalin, 259
- haloalkenes**, with Zn dialkyldithiocarbamates, 273
- Haworth synthesis**, methylacephenanthrylenes, 22
- heat transfer**, in injection moulding, thesis, 469
- heavy-metal ions**, sensors based on ISFETs, thesis, 40
- heavy-metal receptors**, 2,4,6-tribenzyl-1,3,5-trithiane, 370
- helices, tert-butyl isocyanide oligomers**, MM, 33
- Hep-G2**, in medicinal chemistry, review, 82
- heptagluside**, having phytoalexin elicitor activity, solid-phase synth., 464; solid-phase synth., 464
- 3-heptene, 1,7-diphenyl-**, sulfonation, 247
- heterocyclic chemistry**, progress, book, 315
- hexadecyltrialkylammonium bromides**, surfactants in cleaving esters enantioselectively, 1
- high-pressure reaction**, contraceptive gonatetraenone deriv., 627
- histamine**, analogs, 123
- histidine**, in oligopeptides, coordination with Co, Zn, Cu, 278; in tripeptides, cleaving esters enantioselectively, 1
- HIV-I infection**, inhibition, in medicinal chemistry, review, 82
- homology model building**, human thrombin, 161
- homoperylene**, electrophilic substitution, 584
- host-guest chemistry**, *N,N'*-bisbenzo[*a*]xanthenylidene-1,2-ethanediamine, 377; binaphthyl metallomacrocycles, 358; binaphthyl salophen crown ether uranyl complex, 595; book, 651; calixarenes, modified with L-cysteine, 407; for carbazole and bipyridine cyclomers, 330; cyclophanes with cylindric and helical cavity, 421; imidazolylcyclophanes, esterase activity, 335; macrocyclic carriers in membranes, review, 317; molecular basket from diphenylglycoluril, 400; molecular cavity from diphenylglycoluril, 404, 643; NMR, review, 412; pyridine cyclomers as host molecule, 325; 317-430
- 5-HT**, see serotonin
- human thrombin**, homology model building, 161
- α -hydrazino acids**, thesis, 515
- cis-hydroazulene sesquiterpenes**, thesis, 314
- hydrogen peroxide**, with penicillin G, 462
- hydrolase activity**, imidazolylcyclophanes, 335
- hydrolysis**, binaphthyl salophen crown ether uranyl complex, 595; phosphate esters, catalysis by 1,10-phenanthroline metal complexes, 351; 2-pyridinecarboxylic acid 4-nitrophenyl esters, 525
- hydroperoxide, cyclohexyl-**, decompn., 497
- hydrophobicity**, calixarenes, modified with L-cysteine, 407
- 1-(2-hydroxyethyl)pyrazole**, coordination with Co, Ni, Cu, Zn, 309
- 5-hydroxytryptamine**, see serotonin
- hyperchromicity**, UV -, decanucleotides with (3' \rightarrow 5')-O-CH₂-O-linkage, 15
- hypervalency**, carbonium ions, gas-phase chemistry, thesis, 272
- hyphenated FT-IR**, polymers, thesis, 39
- idose-galactose disaccharide**, glycosylation, 611

- L-iduronic acid**, glycosylation of acceptors with L-idose configuration, 611
- imidazoles**, (ω -aminoalkyl)-, 123
- imidazolylcyclophanes**, esterase activity, 335
- 12-iminobenzol[a]xanthene**, ethanediylbis-, ZnCl₂ complex, crystal structure, 377
- iminomethylenes**, poly(-, MM, 33
- immunoglobulines**, programmed antibodies, review, 431
- industrial manufacture**, chiral compounds, book, 565
- injection moulding**, heat transfer, thesis, 469
- inorganic chemicals handbook**, book, 517
- interfacial tension**, alkylarenesulfonate micellization, 393
- inulin**, for ω -halogenoalkyl β -D-fructopyranosides, 511; from chicory roots, thesis, 40
- iodine**, Zn exchange in (2-iodo-1,3-xylylene)-15-crown-4 + Et₂Zn, 425
- iodonium-promoted glycosidation**, by sugar 1,2-thio ortho esters, 507
- ions**, chemistry in gas-phase, book, 518
- IR**, bacteriorhodopsins, 303; hyphenated FT-IR on polymers, thesis, 39; nitroaceanthrylenes and -aceanthrenes, 287
- ISFETs**, for heavy-metal-ion sensors, thesis, 40
- isocyanide oligomers**, *tert*-butyl-, MM, 33
- isomerization**, *N,N'*-bisbenzo[a]xanthenylidene-1,2-ethanediamine, *syn-anti*, 377
- isotope effect**, labeled drugs, 191
- K-opioid receptor agonists**, 169
- KDO (3-dexoxy-D-manno-2-octulosonic acid)**, review, 471
- α -keto esters**, review, 471
- kinetics**, benzene gas-phase oxychlorination, 262; C₆₀ and C₇₀ with ozone, 531; C₆₀, etc., with ozone, 639; 18-crown-5, cleavage by alkali-metal ions, 347; Cu^I 1,10-phenanthroline trefoil knot, demetallation, 427; cyclohexyl hydroperoxide decomn., 497; in enantioselective cleavage of esters by histidine-contg. tripeptides, 1; hydrolysis of phosphate esters by 1,10-phenanthroline metallocomplexes, 351; 2-pyridine-carboxylic acid 4-nitrophenyl esters, hydrolysis, 525
- knot, trefoil**, Cu^I 1,10-phenanthroline complex, crystal structure, 427
- labeling**, bacteriorhodopsins and bovine rhodopsins, thesis, 470; drugs, 191
- lactones**, sesquiterpene - from chicory roots, thesis, 40
- lamellar lyophases**, 339
- lipase**, catalyzing 6-O-acylation of α -D-glucopyranosides, 567
- lipophilic heavy-metal receptors**, 2,4,6-tribenzyl-1,3,5-trithiane, 370
- liquid membranes**, macrocyclic carriers in -, review, 317
- lithiation**, imidazole, 123
- lithium ions**, 18-crown-5, catalytic cleavage, 347
- local anesthetics**, in medicinal chemistry, 43
- locked chromophores**, in bacteriorhodopsins, 237
- longe-range donor-acceptor interaction**, thesis, 40
- lyophases**, lamellar, 339
- macrocycles**, binaphthyl metallo-, complexation, 358; calix[4]arene-diquinones, 384; carriers in membranes, review, 317; cyclophanes with cylindric and helical cavity, 421; metallo- as enzyme models, thesis, 470; metallo-, binaphthyl salophen crown ethers as urease model, 595; pyridine cyclomers as host molecule, 325; receptors in membrane transport, thesis, 40; receptors in membranes, review, 317
- macromolecular science**, book, 316
- magnesium chloride**, (dimethylphenyl)silyl-, for destomic acid and 1-deoxyojirimycin, 451
- magnetic susceptibility**, Cu 1-(2-hydroxyethyl)pyrazole complex, 309
- malonates**, α -keto esters, synth., review, 471
- manganese(III)**, salen complex, crystal structure, 404; tetraarylporphyrins, catalyst in decomn. of cyclohexyl peroxide, 497
- mannarate**, aluminum calcium complex, ¹H-, ¹³C-, ¹⁷O-, ²⁷Al-NMR, 431
- mass spectrometry**, see MS
- mechanism**, benzene gas-phase oxychlorination, 262; cyclohexyl hydroperoxide decomn., 497; Friedel-Crafts sulfoxycyclization of naphthylalkenes and diphenylheptene, 247; methoxynaphthol sulfonation, 216; naphthols, sulfonation, 210; organic chemistry, book, 468; radical -, oxidative metabolism of 4-chloroacetanilide by cytochrome P450, 186; SO₃ + dienes, 201; with SO₃ with methylenecycloalkanes and cycloalkylidenecycloalkanes, 457
- medicinal chemistry**, (ω -aminoalkyl)imidazoles, 123; aza sugars, review, 82; CCK-A agonists, review, 95; dopamine-receptor agonist, 137, 137; etorphine analogs, 113; human thrombin, 161; K-opioid receptor agonists, 169; labeled drugs, 191; mifepristone analog, 107; in nucleosides, review, 51; penicillin and cephalosporin transformation, review, 66; piperazines inhibiting amine re-uptake, 143; review, 43; serotonin (ant)agonists, 126; serotonin receptor subclasses, 131; special issue, 43-199
- membrane chemistry**, book, 315
- membrane transport**, macrocyclic carriers in -, review, 317; macrocyclic receptors, thesis, 40
- mesogenic amphiphiles**, 339
- metabolism**, oxidative -, 4-chloroacetanilide, by cytochrome P450, 186
- metal binding**, to hosts, 330
- metal ions**, 18-crown-5, catalytic cleavage, 347
- metal receptors**, 2,4,6-tribenzyl-1,3,5-trithiane, 370
- metal-catalyzed sulfur vulcanization**, thesis, 469
- metallo-cleft**, *N,N'*-bisbenzo[a]xanthenylidene-1,2-ethanediamine, 377
- metallocomplexes**, of 1,10-phenanthroline, catalytically hydrolyzing phosphate esters, 351
- metalloenzyme model**, 2-pyridinecarboxylic acid 4-nitrophenyl esters, hydrolysis, 525
- metallomacrocycles**, binaphthyl salophen crown ethers as urease model, 595; binaphthyl -, complexation, 358; enzyme models, thesis, 470
- metallovesicular assemblies**, in hydrolysis of 4-nitrophenyl esters, 525
- methacrylates**, α -keto esters, synth., review, 471
- methanesulfonates**, with naphthols, 210
- methanoretinals**, 237
- 1,6-methano[10]annulene**, electrophilic substitution, 584
- α -methoxycarbonyl oxycarbenium ions**, π -cyclization, thesis, 515
- methoxycarbonyl-1,3-xylylene-18-crown-5**, cleavage, 347
- methoxymethoxy group**, protecting OH in 7-substd. 6-demethoxythebaine, 578
- methoxynaphthol**, sulfonation, 216
- methylacephenanthrylenes**, 22
- methylenecycloalkanes**, with SO₃, 457
- methylenedioxy linkage**, in decanucleotides, 15
- 5-methyl**, influence in bacteriorhodopsin, 303
- mianserin**, labeling, 191
- micelles**, alkylarenesulfonates, thermodynamics, 393; in hydrolysis of phosphate esters by 1,10-phenanthroline metallocomplexes, 351; platelike, 339; solutions in enantioselective cleavage of esters by histidine-contg. tripeptides, 1
- mifepristone**, analog, 107
- migration of 4-substituent**, oxidative metabolism of 4-chloroacetanilide by cytochrome P450, 186
- mirtazepin**, labeling, 191
- MM**, see molecular mechanics
- MNDO**, see molecular mechanics
- molecular cavity**, see host-guest chemistry
- molecular cleft**, see host-guest chemistry
- molecular design**, in medicinal chemistry, 43
- molecular dynamics**, thrombin, 161
- molecular mechanics (MM)**, arylpiperidines, conformation, 151; binaphthyl metallomacrocycles, 358; binaphthyl salophen crown ether uranyl complex, 595; calix[4]arenes, 367; cyclophanes with cylindric and helical cavity, 421; eudesm-11-en-4-ols, 226; *tert*-butylisocyanide oligomers, 33; K-opioid receptor agonists, 169; serotonin receptor subclasses, 131; supramolecules, review, 412
- molecular modeling**, see molecular mechanics
- molecular recognition**, calixarenes, modified with L-cysteine, 407
- molecular-orbital package (MOPAC)**, arylpiperidines, conformation, 151; K-opioid receptor agonists, 169
- monoamine re-uptake**, inhibited by piperazines, 143
- MOPAC**, see molecular-orbital package
- morphinan-5,8-dienes**, thebaine with carbonyls, 557
- morphine**, K-opioid receptor agonists, 169
- morphinomimetics**, in medicinal chemistry, 43
- moulding, injection -**, heat transfer, thesis, 469
- MS**, bacteriorhodopsins, 237, 303; dicylopentaphenanthrenes, 255; in biology, book, 236; methylacephenanthrylenes, 22; nitroaceanthrylenes and -aceanthrenes, 287
- Müller-Röscheisen reaction**, for pyridine cyclomers, 325
- musk compounds**, X-ray, thesis, 39
- N-0437**, dopamine-receptor agonist, 137
- NANA**, review, 471
- naphthalenediol, thienyl-**, dopamine-receptor agonist, 137
- naphthalene**, retinals, 237; sultone, 216
- 1-naphthol**, sulfonation, 210,216
- 2-naphthol**, sulfonation, 210,216
- ω -(1-naphthyl)-*n*-alkenes**, sulfonation, 247
- natural products**, book, 652
- NBS**, see succinimide, *N*-bromo-
- neopine**, 573
- networks**, biomedical polyurethane -, thesis, 272
- neu5AC**, review, 471
- neuraminic acid**, *N*-acetyl-, review, 471
- neuroleptic action**, in medicinal chemistry, 43
- nickel**, conductors based on Ni(C₃S₅)₂ and Ni(C₃Se₅)₂, thesis, 314; 1-(2-hydroxyethyl)pyrazole complex, 309; salen complex, crystal structure, 404
- nitration**, homoperylene, 584
- nitroaceanthrenes**, 287
- nitroaceanthrylenes**, 287
- nitroacetates**, α -keto esters, synth., review, 471

- 4-nitrophenyl ester cleavage, enantioselective** –, by histidine-contg. tripeptides, 1
- NMR**, book, 651; supramolecules, NOEs, review, 412
- NMR, ¹H**, aluminum calcium aldarate, 431; bacteriorhodopsins, 237, 303; calix[4]arenediquinones, 384; decanucleotides with (3' → 5')-O-CH₂-O- linkage, 1D- en 2D-NMR, 15; dicylopentaphenanthrenes, 255; etorphine analogs, 113; eudesm-11-en-4-ols, 226; methylacephenanthrylenes, 22; molecular basket from diphenylglycoluril, 400; naphthols, sulfonation, 210; neopine, 573; nitroaceanthrylenes and -aceanthrenes, 287; with SO₃ with methylenecycloalkanes and cycloalkylidenecycloalkanes, 457; thebaine with carbonyls, 557
- NMR, ³H** –, labeled drugs, 191
- NMR, ¹³C**, aluminum calcium aldarate, 431; bacteriorhodopsins, 237, 303; etorphine analogs, 113; neopine, 573; nitroaceanthrylenes and -aceanthrenes, 287; thebaine with carbonyls, 557
- NMR, ¹³C**, aluminum calcium aldarate, 431; bacteriorhodopsins, 237, 303; etorphine analogs, 113; neopine, 573; nitroaceanthrylenes and -aceanthrenes, 287; thebaine with carbonyls, 557
- NMR, ¹⁷O**, aluminum calcium aldarate, 431
- NMR, ²⁷Al**, aluminum calcium aldarate, 431
- NOE**, see NMR
- nojirimycin, 1-deoxy**–, 451
- 19-norsteroids**, mifepristone analog, 107
- nucleophilic cleavage of S_N2 type (BAL2)**, 18-crown-5, 347
- nucleosides**, in medicinal chemistry, review, 51
- nucleotides, deca**–, with (3' → 5')-O-CH₂-O- linkage, 15
- 3-octulosonic acid, 3-deoxy-D-manno**– (KDO), review, 471
- oligomers, tert-butyl isocyanides**, MM, 33
- oligonucleotides**, with (3' → 5')-O-CH₂-O- linkage, 15
- oligopeptides**, L-histidyl-containing –, coordination with Co, Zn, Cu, 278
- oligopyridine rings**, host molecules, 325
- oligosaccharides**, solid-phase synth., 609
- omeprazole**, in medicinal chemistry, 43
- K-opioid receptor agonists**, 169
- opium alkaloids**, 7-substd. 6-demethoxythebaine, 578; etorphine analogs, 113; neopine, 573; thebaine with carbonyls, 557
- opsin shift**, in bacteriorhodopsins, 237, 303
- organic chemistry**, book, 41; reactions, mechanism, structure (book), 468; reagents, book, 468
- organic coatings**, vol 1: films, book, 565
- organic reactions**, tandem –, book, 518; vol. 41, book, 516
- organic synthesis**, vol. 70, book, 652
- organometallic chemistry**, book, 315; transition metals, book, 467
- organophosphorus**, book, 271
- organozinc**, (2-iodozincio-1,3-xylylene)-15-crown-4, 425
- ortho esters**, in neopine synth., 573; sugar 1,2-thio –, 507
- oxalates, α-keto esters**, synth., review, 471
- 1,2-oxathietane dioxide**, from SO₃ and dienes, 201
- oxidative metabolism**, 4-chloroacetanilide, by cytochrome P450, 186
- α-oxo esters**, review, 471
- oxycarbenium ions, α-methoxycarbonyl** –, π-cyclization, thesis, 515
- oxychlorination**, benzene, 262
- ozone**, with C₆₀ and C₇₀, 531; with C₆₀, etc., 639
- PAHs**, see polycyclic aromatic hydrocarbons
- palladium**, conductors based on Pd(C₃S₅)₂ and Pd(C₃Se₅)₂, thesis, 314
- Pedersen memorial issue**, book, 516
- penicillins**, transformation, in medicinal chemistry, review, 66; – G, with peroxy compds., 462
- 1,3-pentadiene**, sulfonation, 201
- pentapeptides**, L-histidyl-containing –, coordination with Co, Zn, Cu, 278
- peptides**, histidine-contg. tri-, cleaving esters enantioselectively, 1; L-histidyl-containing –, coordination with Co, Zn, Cu, 278; topology, CCK-A agonists, in medicinal chemistry, review, 95
- peptidomimetics**, CCK-A agonists, in medicinal chemistry, review, 95
- perception**, protective groups in COSYMA system, CAOS, 503
- peroxyoctanoic acid**, with penicillin G, 462
- perylene**, electrophilic substitution, 584
- pethidine**, in medicinal chemistry, 43
- Ph.D. theses**, see theses
- phase diagrams**, dipolar amphiphiles, 339
- phenanthrenes, dicylopenta**–, 255
- 1,10-phenanthroline**, Cu^I trefoil knot, crystal structure, 427; functionalized, in hydrolysis of 4-nitrophenyl esters, 525; metallocomplexes catalytically hydrolyzing phosphate esters, 351
- phenylalanine ester**, enantioselective cleavage by histidine-contg. tripeptides, 1
- phosphate esters**, catalytically hydrolyzed by phenanthroline metallocomplexes, 351; cyclic – for ephedrine resolution, 230
- phosphonates, α-keto esters**, synth., review, 471
- phosphoranes, α-keto esters**, synth., review, 471
- phosphorus oxychloride**, dehydrating 1-(trimethylsiloxy)decalin to perhydroazulene, 259
- phosphorus, organo**–, book, 271
- photophysics**, donor-bridge-acceptor systems from N-substd. 4-piperidones, 535
- phytoalexin elicitor activity**, heptagluconide, 464
- picolinic acid**, hydrolysis of 4-nitrophenyl esters, 525
- piperazines**, aryl–, conformation, 151; inhibiting amine re-uptake, 143
- piperidines**, aryl–, conformation, 151
- 4-piperidones, N-substd.** –, donor-bridge-acceptor systems, 535
- platelike micelles**, 339
- PM3 geometry**, 131
- POCl₃**, see phosphorus oxychloride
- Poisson-Boltzmann model**, micellar properties, 393
- poly(iminomethylenes)**, MM, 33
- polycyclic aromatic hydrocarbons (PAHs)**, dicylopentaphenanthrenes, 255; methylacephenanthrylenes, 22; nitroaceanthrylenes and -aceanthrenes, 287
- polymer-supported synthesis**, see solid-phase synth.
- polymers**, book, 316; hyphenated FT-IR, thesis, 39
- polyurethane**, biomedical – networks, thesis, 272
- potassium ions**, 18-crown-5, catalytic cleavage, 347
- PR-TRMC (pulse-radiolysis time-resolved microwave conductivity)**, in 2,5-didecyloxy-1,4-benzoquinone in solid phase, 423
- programmed antibodies**, as tailor-made catalysts, review, 431
- protection**, OH in 7-substd. 6-demethoxythebaine by methoxymethoxy, 578
- protective groups**, in COSYMA system, CAOS, 503
- proteins**, see also peptides; thrombin, 161
- protein-protein interaction**, in medicinal chemistry, 43
- proton pump**, bacteriorhodopsins, 237, 303
- PTAT**, dopamine-receptor agonist, 137
- pulse-radiolysis time-resolved microwave conductivity (PR-TRMC)**, in 2,5-didecyloxy-1,4-benzoquinone in solid phase, 423
- pyrazoles**, cyclomeric – as host, 330; 1-(2-hydroxyethyl)–, coordination with Co, Ni, Cu, Zn, 309
- 2-pyridinecarboxylic acid**, hydrolysis of 4-nitrophenyl esters, 525
- [2n](2,6)pyridinophanes**, host molecules, 325
- pyrimidines**, fused –, book, 517
- pyrolysis**, see thermochemistry
- pyrroles**, book, 649
- pyrrolidine nucleosides**, in medicinal chemistry, review, 51
- pyrrolidinones**, from regioselective introduction of functional groups in α-diimines, 618
- 3-pyrrolin-2-one, (R)-1-acetyl-5-isopropoxy**–, thesis, 515
- pyruvates, α-keto esters**, synth., review, 471
- QSAR (quantitative structure-activity relationship)**, see SAR
- Quanta/CHARMm**, thrombin, 161
- quantitative structure-activity relationship (QSAR)**, see SAR
- quantum chemistry**, see molecular mechanics
- o-quinodimethane**, 2,3-dimethylene-2,3-dihydrothiophene analog, 7
- quinolines**, 4-alkoxy-3-(alkylthio)–, 519
- quinones**, aziridinyl–, SAR, 174; calix[4]arenes, 384
- radiation-induced conductivity**, in 2,5-didecyloxy-1,4-benzoquinone in solid phase, 423
- radical ionic systems**, condensed phases, book, 42
- radicals**, in benzene gas-phase oxychlorination, 262; oxidative metabolism of 4-chloroacetanilide by cytochrome P450, 186
- radiolysis**, labeled drugs, 191
- rational design**, resolving agents, 230
- reaction mechanism**, see mechanism
- reactions**, organic chemistry, book, 468
- reagents**, for organic synth., book, 468
- rearrangement**, allylic –, in neopine synth., 573; 1-(trimethylsiloxy)decalin to perhydroazulene, 259
- receptors**, affinity for serotonin, 131; affinity of a thienyl naphthalenediol, 137; arylpiperidines, model, 151; K-opioid agonists, 169
- redox**, calix[4]arenediquinones, 384
- reductive cyanation**, for methanoretinol, 237
- regioselective introduction**, functional groups in α-diimines, 618
- reserpine**, dopamine-receptor agonist, 137
- resolution**, ephedrine, rational design, 230
- retinals**, labeling, thesis, 470; 237
- retinal**, 5-bromo-5-demethyl–, 303
- reviews**, aza sugars, in medicinal chemistry, 82; CCK-A agonists, in medicinal chemistry, 95; α-keto esters, synth., 471; macrocyclic carriers in supported liquid membranes, 317; medicinal chemistry, 43; NMR and MM in supramolecules, 420; nucleosides in medicinal chemistry, 51; penicillin and cephalosporin transformation, in medicinal chemistry, 66; programmed antibodies as tailor-made catalysts, 431
- rhodium acetate**, catalyzing cyclization to a tetralone, 137
- rhodopsins**, bacterio–, 237; 5-bacterio–, methyl influence, 303; labeling, thesis, 470

- rigidity**, chromophores in bacteriorhodopsins, 237; dipolar amphiphiles, 339
- ring enlargement**, in medicinal chemistry, review, 66
- ring formation**, furopyrrroloquinolinecarbonitrile, 549
- Rodd's chemistry of carbon compounds**, 2nd suppl., book, 650
- saccharides**, see carbohydrates
- salen**, metal complexes, crystal structure, 404
- salophen**, binaphthyl -, crown ethers, 595
- SAR**, see structure-activity relationship
- SCF**, see self-consistent field
- self-assembly**, 2,5-didecyloxy-1,4-benzoquinone in solid phase, 423; 1,2-bismetallo-clefts, benzo[a]xanthenylidene-1,2-ethanediamine, 377; [2]catenanes contg. catechol units, 429
- self-consistent field (SCF) calculation**, oxidative metabolism of 4-chloroacetanilide by cytochrome P450, 186
- semi-empirical calculation**, arylpiperidines, conformation, 151
- sequence alignment**, thrombin, 161
- serotonin**, (ant)agonists, 126; receptor subclasses, 131
- sesquiterpenes**, *cis*-hydroazulene -, thesis, 314; lactones from chicory roots, thesis, 40
- sialyltransferases**, thesis, 470
- silane**, (1,2-diethoxy-1,2-ethanediyl)bis(trimethyl-, α -keto esters, synth., review, 471
- silane**, (chloromethyl)dimethylphenyl-, for destomic acid and 1-deoxynojirimycin, 451
- silver**, 2,4,6-tribenzyl-1,3,5-trithiane complex, 370
- silyl**, *tert*-butyldimethyl-, protecting group, 123
- silyloxy**-1,2-diethoxyethane, 1,2-bis(trimethyl-, α -keto esters, synth., review, 471
- simplified-perturbed-hard-chain equation**, on binary fluid mixtures, thesis, 272
- SKF 38393**, dopamine-receptor agonist, 137
- S_N2 cleavage**, 18-crown-5, 347
- SO₃**, see sulfur trioxide
- sodium ions**, 18-crown-5, catalytic cleavage, 347
- solid-phase synthesis**, heptagluconide, 464; oligosaccharides, 609
- solvatochromism**, donor-bridge-acceptor systems from *N*-substd. 4-piperidones, 535
- solvent binding**, by cyclomeric pyridines, 325
- sorbitol**, for chiral products, thesis, 314
- SPHC equation**, on binary fluid mixtures, thesis, 272
- spin distribution calculation**, oxidative metabolism of 4-chloroacetanilide by cytochrome P450, 186
- spiperone**, dopamine-receptor agonist, 137
- spirosulfones**, from methylenecycloalkanes and cycloalkylidenecycloalkanes, 457
- stereochemistry**, book, 42
- stereoselectivity**, 2-pyridinecarboxylic acid 4-nitrophenyl esters, hydrolysis, 525
- steroids**, brassino-, book, 467; contraceptive gonatetraenone deriv., 627; mifepristone analog, 107, 107
- structure**, organic chemistry, book, 468
- structure-activity relationship (SAR)**, aziridinylquinones, 174; CCK-A agonists, in medicinal chemistry, review, 95; serotonin (ant)agonists, 126
- substituent effect**, in ephedrine resolution, 230
- succinimide**, *N*-bromo- (NBS), homoperylene, bromination, 584
- sucrose**, for ω -halogenoalkyl β -D-fructopyranosides, 511
- sugar 1,2-thio ortho esters**, 507
- sugar acids**, aluminum calcium complex, ¹H-, ¹³C-, ¹⁷O-, ²⁷Al-NMR, 431
- sugars**, see carbohydrates
- sulfanilamide**, in medicinal chemistry, 43
- sulfonates**, micellization, thermodynamics, 393
- sulfonation**, dienes, 201; homoperylene, 584; methoxynaphthols, 216; methylenecycloalkanes and cycloalkylidenecycloalkanes, 457; 1- and 2-naphthols, 210; naphthylalkenes and diphenylheptene, 247
- sulfur trioxide (SO₃)**, withdienes, 201; with methoxynaphthols, 216; with methylenecycloalkanes and cycloalkylidenecycloalkanes, 457; with 1- and 2-naphthols, 210; with naphthylalkenes and diphenylheptene, 247
- sulfur vulcanization**, metal-catalyzed -, thesis, 469
- sulfur-35**, in labeled drugs, 191
- sulfur-carbon-sulfur bond**, alkylation, 370
- β -sulfones**, from dienes, 201; with naphthylalkenes and diphenylheptene, 247
- supported liquid membranes**, macrocyclic carriers in -, review, 317
- supramolecular chemistry**, see host-guest chemistry; book, 651; Pedersen memorial issue, book, 516; 317-430
- surface tension**, dipolar amphiphiles, 339
- surfactants**, hexadecyltrialkylammonium bromides in cleaving esters enantioselectively, 1
- synthesis design**, see CAOS
- syn-anti isomerization**, *N,N'*-bisbenzo[a]xanthenylidene-1,2-ethanediamine, 377
- tandem Claisen-ene strategy**, contraceptive gonatetraenone deriv., 627
- tandem organic reactions**, book, 518
- template structures**, thrombin, 161
- tetraarylporphyrins**, Mn^{III}, catalyst in decompn. of cyclohexyl peroxide, 497
- tetrahydrofurano formation**, furopyrrroloquinolinecarbonitrile, 549
- tetralone**, intermediate in dopamine receptor, 137
- tetrapyrroles**, biosynth., book, 271
- thallium(III)**, nitrate, oxidizing dialkoxycalix[4]arenes, 384
- thebaines**, 7-substd. 6-demethoxy-, 578; etorphine analogs, 113, 113; with carbonyls, 557
- thermochemistry**, benzene gas-phase oxychlorination, 262
- thermodynamics**, micellization of alkylarenesulfonates, 393
- theses**, (*R*)-1-acetyl-5-isopropoxy-3-pyrrolin-2-one, 515; bacteriorhodopsins and bovine rhodopsins, labeling, 470; base-induced elimination reactions, 469; binary fluid mixtures, 272; biomedical polyurethane networks, 272; biosensors, third generation amperometric, 39; carbohydrates for chiral products, 314; conductors based on M(C₃S₅)₂ and M(C₃Se₅)₂, 314; cyclic hydrazines and α -hydrazino acids via *N*-acylhydrazonium ions, 515; π -cyclizations of α -methoxy-carbonyl oxycarbenium ions; oxacyclic carboxylic esters, 515; diphenylalkylamines: modulators of calcium and calmodulin, 314; donor-bridge-acceptor systems for detection of long-range donor-acceptor interaction, 40; eudesm-11-en-ols, 273; gas-phase chemistry of hypervalently coordinated carbonium ions, 272; gas-phase reactions, unimolecular dissociation, 39; heat transfer in injection moulding, 469; heavy-metal ions, sensors based on ISFETs, 40; *cis*-hydroazulene sesquiterpenes, 314; intramolecular coordination in W^{VI} alkylidene chemistry, 470; macrocyclic receptors in membrane transport, 40; metal-catalyzed sulfur vulcanization, 469; metallomacrocycles as enzyme models, 470; musk compounds, X-ray, 39; polymers, hyphenated FT-IR, 39; sesquiterpene lactones and inulin from chicory roots, 40; sialyltransferases, 470; synthetic analogs for ferredoxins, 469
- thiacrown ethers**, 370
- thiazole**, 2-acetyl-, α -keto esters, synth., review, 471
- thienyl naphthalenediol**, dopamine-receptor agonist, 137
- 1,2-thio ortho esters**, sugar -, 507
- thiophene**, 2,3-dimethylene-2,3-dihydro-, [4 + 2] cycloaddition, 7
- thiophenes**, book, 649
- thioquinanthrene**, for 3,4'-diquinoliny sulfides, 519
- thiuram sulfides**, 273
- thrombin**, human -, homology model building, 161
- transesterification**, in lipase-catalyzed 6-*O*-acylation of α -D-glucopyranosides, 567
- transferases**, sialyl-, thesis, 470
- transition metals**, organometallic chemistry, book, 467
- transport**, macrocyclic carriers in membranes, review, 317
- trefoil knot**, Cu^I 1,10-phenanthroline complex, crystal structure, 427
- triazol[3.3.3]paracyclophanes**, with cylindric and helical cavity, 421
- 2,4,6-tribenzyl-1,3,5-trithiane**, crystal structure, 370
- trifluoroacetic acid**, transforming a tetralone, 137
- 1-(trimethylsiloxy)decalin**, dehydration to perhydroazulene, 259
- tripeptides**, see peptides
- 1,3,5-trithiane**, 2,4,6-tribenzyl-, crystal structure, 370
- tritium**, in labeled drugs, ³H-NMR, 191
- tropacaine**, in medicinal chemistry, 43
- tryptamine**, 5-hydroxy-, see serotonin
- tryptamines**, receptor subclasses, 131
- tumor inhibition**, mifepristone analog, 107
- tungsten(VI)**, in alkylidene chemistry, thesis, 470
- turnover catalysis**, esterase activity of imidazolylcyclophanes, 335
- U 50 488**, K-opioid receptor agonists, 169
- unimolecular dissociation**, in gas-phase reactions, thesis, 39
- uranyl**, binaphthyl metallomacrocycles, 358; binaphthyl salophen crown ether complex, 595
- urease**, binaphthyl salophen crown ethers as enzyme model, 595
- urea**, binaphthyl metallomacrocycles, complex, 358; complexation by binaphthyl salophen crown ether uranyl complex, 595
- UV**, bacteriorhodopsins, 237, 303; Cu 1-(2-hydroxyethyl)pyrazole complex, 309; decanucleotides with (3' \rightarrow 5')-O-CH₂-O- linkage, hyperchromicity, 15; dicylopentaphenanthrenes, 255; methylacephenanthrylenes, 22; nitroaceanthrylenes and -aceanthrenes, 287
- vesicular assemblies**, in hydrolysis of 4-nitrophenyl esters, 525
- viscosity**, dipolar amphiphiles, 339
- voltammetry**, cyclic -, binaphthyl salophen crown ether uranyl complex, 595; calix[4]arenediquinones, 384
- vulcanization**, metal-catalyzed, thesis, 469
- water activity**, in lipase-catalyzed 6-*O*-acylation of α -D-glucopyranosides, 567

Wittig reaction, for 5-bromo-5-demethylretinal, 303

X-ray, see crystal structure

xylarate, aluminum calcium complex, ^1H -, ^{13}C -, ^{17}O -, ^{27}Al -NMR, 431

L-xyllose, for chiral products, thesis, 314

1,3-xylylene-18-crown-5, cleavage, 347

1,2-xylylene, 2,3-dimethylene-2,3-dihydrothiophene analog, 7

zeolite, in lipase-catalyzed 6-*O*-acylation of α -D-glucopyranosides, 567

zinc, 1,10-phenanthroline complexes, catalytically hydrolyzing phosphate esters, 351; dialkyldithiocarbamates, with haloalkenes, 273; dialkyl-, in regioselective introduction of functional groups in α -diimines, 618; dichloride, *N,N'*-bisbenzo[*a*]xanthenylidene-1,2-ethanediamine complex, 377; 1-(2-hydroxyethyl)pyrazole complex, 309; iodine exchange in (2-iodo-1,3-xylylene)-15-crown-4 + Et_2Zn , 425; proteins, 278; 2-pyridinecarboxylic acid 4-nitrophenyl esters, hydrolysis catalyst, 525

